






CH	1	SALIDA VOLKSWAGEN PUEBLA	DIST.	1
CH	2	SAN ISIDRO	96.327 km.	
TRAMO CRONOMETRADO / SPECIAL STAGE			PROM. / AVERAGE	TIEMPO TIME
			48 k/h	2:00'

DISTANCE		DIRECTION	INFORMATION	DIST. REGR.
TOTAL	PARTIAL			
0.000	0.000	  Lat: 19.12005 Lon: -98.25621	Control CH Stage 3 Gate 3 VW Factory	96.327
0.89	0.89		Keep straight	95.43
1.15	0.25		Continue straight Through the right	95.17
1.83	0.68			94.49
2.32	0.49		Take right to "Atlixco" After the upper road	94.00
2.68	0.36		Merge to central lanes	93.64
2.97	0.29			93.35
5.08	2.10			91.24

NEXT: 0.54



Made with Rabbit Roadbook Designer

Pag. 1



START VW

DISTANCE		DIRECTION	INFORMATION	DIST. REGR.
TOTAL	PARTIAL			
5.62	0.54			90.70
7.65	2.03		Gas station	88.67
8.94	1.28		 Gas station	87.38
11.23	2.28		Km 9	85.09
11.80	0.57			84.52
13.57	1.77			82.74
13.98	0.40			82.34
14.69	0.71		Gas station	81.62

NEXT: 0.58

Made with Rabbit Roadbook Designer

Pag. 2



START VW

DISTANCE		DIRECTION	INFORMATION	DIST. REGR.
TOTAL	PARTIAL			
15.28	0.58			81.04
15.59	0.30			80.73
16.97	1.38		Gas station	79.35
17.44	0.47		Prepare exit to "Atlixco Cuota"	78.87
17.86	0.42		Exit right to "Atlixco Cuota"	78.45
18.30	0.43		Take right	78.02
18.63	0.32		Merge to central lanes	77.69
19.34	0.70		Tollbooth \$57.00 Only Cash	76.98




NEXT: 1.02

Made with Rabbit Roadbook Designer

Pag. 3



START VW

DISTANCE		DIRECTION	INFORMATION	DIST. REGR.
TOTAL	PARTIAL			
20.36	1.02		Km 7	75.96
33.32	12.96		Km 20	63.00
35.14	1.82			61.18
36.31	1.16		Km 23	60.01
37.77	1.46		Caution Keep straight Two way road	58.55
38.26	0.48		Merge to central lanes	58.06
38.76	0.50		Bump	57.56
39.36	0.59		Bump	56.96





NEXT: 0.35

 Made with Rabbit Roadbook Designer

Pag. 4



START VW

DISTANCE		DIRECTION	INFORMATION	DIST. REGR.
TOTAL	PARTIAL			
39.71	0.35		Km 29 Bump	56.60
40.12	0.40		Bump Traffic light straight	56.20
40.54	0.41		Bump straight	55.78
40.79	0.25		Gas station	55.52
41.68	0.88		Gas station Traffic light straight	54.64
42.68	1.00		Bump straight	53.64
42.89	0.20		Km 32	53.43
43.31	0.41			53.01
			Bump Continue straight	






NEXT: 1.28

 Made with Rabbit Roadbook Designer

Pag. 5



START VW

DISTANCE		DIRECTION	INFORMATION	DIST. REGR.
TOTAL	PARTIAL			
44.59	1.28	 		51.73
45.01	0.42	 	Bump	51.31
45.48	0.46	 	Bump	50.84
45.84	0.36	 	Bumps (3)	50.47
46.12	0.27	 	Km 23 Gas station	50.20
47.87	1.75	 	Km 37 Bump	48.45
48.29	0.42	 	Bump	48.03
49.87	1.58	 	Km 39 Bumps (2)	46.45







NEXT: 3.65

 Made with Rabbit Roadbook Designer

Pag. 6



START VW

DISTANCE		DIRECTION	INFORMATION	DIST. REGR.
TOTAL	PARTIAL			
53.52	3.65	49 	Gas station Bumps (3) Keep straight	42.80
57.32	3.80	50 	Bumps (3)	38.99
57.92	0.60	51 	Km 47 Bump	38.39
59.94	2.01	52 	Km 49	36.38
61.26	1.32	53 	Bumps (3)	35.06
61.66	0.40	54 	Gas station LS Oxxo RS	34.65
61.82	0.15		Km 51	34.50
62.22	0.40	56 	  On the left to "Izucar de Matamoros"	34.09




NEXT: 1.69

 Made with Rabbit Roadbook Designer

Pag. 7



START VW

DISTANCE		DIRECTION	INFORMATION	DIST. REGR.
TOTAL	PARTIAL			
63.92	1.69		Km 53	32.40
65.83	1.91		Two way road	30.49
66.38	0.54		Bumps (8)	29.94
69.36	2.98		Bump Km 59	26.95
69.72	0.36		Bumps (2)	26.59
72.45	2.72		Bumps (2) Security arch	23.87
73.79	1.33		Bump Median strip	22.53
74.09	0.29		Bump Church LS	22.23








NEXT: 0.81

 Made with Rabbit Roadbook Designer

Pag. 8



START VW

DISTANCE		DIRECTION	INFORMATION	DIST. REGR.
TOTAL	PARTIAL			
74.90	0.81		Km 64	21.42
75.04	0.14		Attention Turn left (Police RS) Bump	21.28
76.74	1.70		Speed bumps Junction take right	19.58
76.87	0.13		Speed bumps Junction take left Caution Bump	19.45
76.99	0.11		Bumps (3)	19.33
77.75	0.75		Cemetery RS	18.57
81.95	4.20		Keep straight Bumps (2)	14.37
82.40	0.44		Bumps (6)	13.92


NEXT: 0.89

 Made with Rabbit Roadbook Designer

Pag. 9



START VW

DISTANCE		DIRECTION	INFORMATION	DIST. REGR.
TOTAL	PARTIAL			
83.29	0.89	  73	Bump (2) Gas station LS	13.02
83.52	0.22	 74	Bumps (3)	12.80
84.74	1.21	 75	Bumps (3)	11.58
85.48	0.74	 76		10.84
87.04	1.55	 77	Attention Sharp turn	9.28
87.90	0.86	 78	Bumps (2) Arch "Bienvenidos..."	8.42
88.45	0.55	 79	Bumps (7)	7.87
88.91	0.46	 80	 Take right Bumps (2)	7.40

NEXT: 0.17 !!!







Made with Rabbit Roadbook Designer

Pag. 10



START VW

DISTANCE		DIRECTION	INFORMATION	DIST. REGR.
TOTAL	PARTIAL			
89.09	0.17	81	 Bump Take right	7.23
89.42	0.32	82	Bumps (4)	6.90
91.07	1.65	83	 Bumps (2)	5.25
93.57	2.50	84	Bad road	2.74
94.16	0.58	85	Km 19	2.16
96.18	2.02	86 Lat: 18.61608 Lon: -98.33474	Control CH (Km 21 LS)	0.14
96.327 0.000	0.142 0.000	87 Lat: 18.61530 Lon: -98.33380	Control A (Helmets) (Wooden post LS)	0.000 40.095
🐇 Made with Rabbit Roadbook Designer				Pag. 11

SECC	2	SAN ISIDRO		DIST.	2
	CH	3	MIMIAPAN	40.095 km.	
TRAMO CRONOMETRADO / SPECIAL STAGE				PROM. / AVERAGE	TIEMPO TIME 0:45'
TC		SAN ISIDRO		10.713 km.	
DISTANCE		DIRECTION		INFORMATION	DIST. REGR.
TOTAL	PARTIAL				
0.000	0.000	 Lat: 18.61530 Lon: -98.33380		Control A (Helmets) (Wooden post LS)	40.095
0.13	0.13			Right Left 2 long	39.96
0.57	0.44			Right 1 Bad road Crest with left 0	39.51
0.88	0.31			Right 0 long	39.20
1.14	0.26			Left 1 Crest with right 2	38.94
1.48	0.33			Left 2	38.61
1.64	0.16			Right 2 Left 1 Km 23 Left 1	38.44
2.14	0.49			Short right 2 Right 1	37.95

NEXT: 0.34

 Made with Rabbit Roadbook Designer

Pag. 12



SAN ISIDRO

DISTANCE		DIRECTION	INFORMATION	DIST. REGR.
TOTAL	PARTIAL			
2.49	0.34	95	Left 2 long with crest	37.60
2.72	0.23	96	Left 1	37.37
2.99	0.27	97	Right 2 long	37.10
3.23	0.24	98	Left with crest	36.86
3.39	0.16	99	Crest Right 2	36.70
3.68	0.28	100	Short left 1 with crest Km 25	36.41
4.10	0.42	101	Left 0 Right 2 Left 2	35.99
4.55	0.44	102	Short right Short left 1 Short right 1	35.54

NEXT: 0.36



Made with Rabbit Roadbook Designer

Pag. 13



SAN ISIDRO

DISTANCE		DIRECTION	INFORMATION	DIST. REGR.
TOTAL	PARTIAL			
4.91	0.36	103	Right 1	35.18
5.11	0.19	104	Short right 0 Bad road Short left 0	34.98
5.46	0.35	105	Left 1 Left 0	34.62
5.77	0.31	106	Short right 1 Left 3 long	34.31
6.07	0.29	107	Right 3 long with dip	34.02
6.29	0.21	108	Left 2 Right 2 tightens	33.80
6.61	0.32	109	Crest straight Km 28	33.47
6.97	0.35	110	Crest with right	33.12

NEXT: 0.35







Made with Rabbit Roadbook Designer

Pag. 14



SAN ISIDRO

DISTANCE		DIRECTION	INFORMATION	DIST. REGR.
TOTAL	PARTIAL			
7.33	0.35	 111	Left 1	32.76
7.70	0.37	 112	Crest Right	32.39
8.01	0.31	 113	Crest straight	32.07
8.27	0.26	 114	Left 1	31.81
8.66	0.38	 115	Crest Right 1 Km 30	31.43
9.47	0.80	 116	Left 1	30.62
9.71	0.24	 117	Crest Km 31 Left	30.38
9.93	0.22	 118	Right	30.15

NEXT: 0.20

 Made with Rabbit Roadbook Designer

Pag. 15



SAN ISIDRO

DISTANCE		DIRECTION	INFORMATION	DIST. REGR.
TOTAL	PARTIAL			
10.14	0.20		Left 1	29.94
10.38	0.23		Crest Right 1	29.71
10.713	0.329		Control B (Mark on road)	29.382
11.34	0.63		Control C Mandatory stop (Bus stop)	28.75
12.83	1.49		Km 34	27.26
18.82	5.98		Km 40	21.27
21.71	2.89		Bumps (4)	18.38
22.42	0.71		Bump	17.67

NEXT: 0.29

Made with Rabbit Roadbook Designer

Pag. 16



SAN ISIDRO

DISTANCE		DIRECTION	INFORMATION	DIST. REGR.
TOTAL	PARTIAL			
22.71	0.29	127 	Bridge	17.37
23.02	0.30	128 		17.07
23.74	0.72	129 	Bumps (2) Keep straight	16.34
24.11	0.36	130 	Bumps (2)	15.98
25.44	1.33	131 	Bumps (2)	14.64
25.74	0.30	132 	Bridge	14.34
29.37	3.62	133 	Crest Dangerous curve	10.72
29.61	0.23	134 	Bumps (3)	10.48





NEXT: 2.71

Made with Rabbit Roadbook Designer







Pag. 17



SAN ISIDRO

DISTANCE		DIRECTION	INFORMATION	DIST. REGR.
TOTAL	PARTIAL			
32.32	2.71	 135	Bumps (3)	7.76
36.05	3.73	 136	 Take right	4.03
37.31	1.25	 137	Bridge	2.78
37.72	0.41	 138	Bad road	2.36
38.12	0.39	 139	Keep straight (Xintete)	1.97
38.43	0.31	 140	Bad road	1.66
39.96	1.53	  Lat: 18.56686 Lon: -98.08461	Control CH (Sign RS)	0.12
40.095 0.000	0.128 0.000	  Lat: 18.56754 Lon: -98.08501	Control A (Helmets) (Sign: Zona de derrumbes)	0.000 18.426

SECC	3	MIMIAPAN	DIST.	3
	CH	4	EL LIMÓN	
TRAMO CRONOMETRADO / SPECIAL STAGE			PROM. / AVERAGE	TIEMPO TIME 0:20'
TC	MIMIAPAN		7.084 km.	

DISTANCE		DIRECTION	INFORMATION	DIST. REGR.
TOTAL	PARTIAL			
0.000	0.000	   Lat: 18.56754 Lon: -98.08501	Control A (Helmets) (Sign: Zona de derrumbes)	18.426
0.03	0.03	  3L Cierra	Left + Left 3 long tightens	18.39
0.29	0.25	  1	Right 1 Short right	18.13
0.52	0.23	 0L	Right 0 long	17.90
0.85	0.33	  2	Bad road Short left 2	17.56
1.03	0.17	  1	Right 1 Left 3 long	17.39
1.30	0.27	   2 1 3	Right 2 Left 1 Right 3 Pothole	17.11
1.65	0.34	  1	Left 1 Right	16.77

NEXT: 0.29



Made with Rabbit Roadbook Designer

Pag. 19



MIMIAPAN

DISTANCE		DIRECTION	INFORMATION	DIST. REGR.
TOTAL	PARTIAL			
1.94	0.29	150 	Left	16.47
2.25	0.30	151 	Left 2 long Right 2	16.17
2.75	0.50	152 	Crest + Short left Right 1	15.66
3.07	0.32	153 	Right 1 Crest Left 1	15.34
3.52	0.44	154 	Right 1 Left Crest Right 1	14.90
3.96	0.44	155 	Left 2 + Short left 2 Short right 2 Short left 2	14.46
4.45	0.48	156 	Left 3	13.97
4.61	0.15	157 	Right 3	13.81

NEXT: 0.28

 Made with Rabbit Roadbook Designer

Pag. 20



MIMIAPAN

DISTANCE		DIRECTION	INFORMATION	DIST. REGR.
TOTAL	PARTIAL			
4.89	0.28	158 	Left 1 Short left Short right	13.53
5.28	0.39	159 	Short right Crest	13.13
5.64	0.35	160 	Short left	12.78
5.88	0.24	161 	Left 1 Crest Left	12.53
6.28	0.39	162 	Crest Right	12.14
6.60	0.31	163 	Left 1 Crest Right 0	11.82
6.91	0.30	164 	Crest Left	11.51
7.084	0.174	165 	Control B (Green sign)	11.342

NEXT: 0.16 !!!






Made with Rabbit Roadbook Designer

Pag. 21



MIMIAPAN

DISTANCE		DIRECTION	INFORMATION	DIST. REGR.
TOTAL	PARTIAL			
7.25	0.16	 166	Right	11.17
7.49	0.24	 167 Lat: 18.52919 Lon: -98.12372	Control C Mandatory stop (Ranch entrance LS)	10.93
7.55	0.06	 168	Bumps (3)	10.87
10.08	2.52	 169	Big dip	8.34
10.54	0.46	 170	Big dip	7.88
10.84	0.30	 171	Bumps (5)	7.57
11.25	0.40	 172	Church LS Bumps (4)	7.17
11.92	0.67	 173	Bridge	6.49





NEXT: 0.62

 Made with Rabbit Roadbook Designer

Pag. 22



MIMIAPAN

DISTANCE		DIRECTION	INFORMATION	DIST. REGR.
TOTAL	PARTIAL			
12.54	0.62		Dip right side	5.87
12.83	0.28		Big dip	5.59
13.81	0.97		Big dip	4.61
14.90	1.09		Attention Broken road RS Go through the left lane	3.51
15.83	0.92		Keep straight	2.59
16.85	1.01		Bump	1.57
17.01	0.15		Keep straight Median strip Cobblestone road	1.41
17.12	0.11		Bump	1.29
NEXT: 0.09 !!!		 Made with Rabbit Roadbook Designer	Pag. 23	














MIMIAPAN

DISTANCE		DIRECTION	INFORMATION	DIST. REGR.
TOTAL	PARTIAL			
17.22	0.09	182	Junction take right to "Centro"	1.20
17.33	0.11	183	Take left Bump (La Soledad)	1.08
17.41	0.07	184	Bump Junction take left	1.01
17.46	0.05	185	Bump	0.95
17.50	0.04	186	Bump Bridge	0.91
17.75	0.24	187	Bumps (3)	0.66
17.88	0.12	188	Keep straight	0.54
17.93	0.05	189	Bump	0.49
NEXT: 0.03 !!!		 Made with Rabbit Roadbook Designer		



MIMIAPAN

DISTANCE		DIRECTION	INFORMATION	DIST. REGR.
TOTAL	PARTIAL			
17.96	0.03	190 	Junction take right Bump (C. Mariano Matamoros)	0.45
18.10	0.14	191 	Bumps (2) Keep straight	0.31
18.27	0.16	192  Lat: 18.48129 Lon: -98.18645	Control CH (Bump)	0.14
18.426 0.000	0.148 0.000	193  Lat: 18.48009 Lon: -98.18648	Control A (Helmets) (Arch)	0.000 14.549
Made with Rabbit Roadbook Designer				Pag. 25

SECC		4	EL LIMÓN		DIST.		4
CH		5	TEHUITZINGO		14.549 km.		
TRAMO CRONOMETRADO / SPECIAL STAGE					PROM. / AVERAGE		TIEMPO TIME 0:18'
TC		EL LIMÓN		8.128 km.	48 k/h		
DISTANCE		DIRECTION			INFORMATION		DIST. REGR.
TOTAL	PARTIAL						
0.000	0.000	193  Lat: 18.48009 Lon: -98.18648			Control A (Helmets) (Arch)	14.549	
0.02	0.02	194 			Right 1 long Short left	14.52	
0.24	0.21	195 			Crest with left 1 Right 1 + Left 0 long	14.30	
0.61	0.36	196 			Crest + Left 1 Short right 0	13.93	
0.88	0.27	197 			Right Right long	13.66	
1.16	0.27	198 			Short left 2 + Right 1 Crest + Left 2	13.38	
1.53	0.37	199 			Attention Short right 1 Bad road	13.01	
1.77	0.23	200 			Short left Right 1	12.77	

NEXT: 0.15 !!!

Made with Rabbit Roadbook Designer

Pag. 26

NEXT: 0.15 !!!



Made with Rabbit Roadbook Designer

Pag. 26



EL LIMÓN

DISTANCE		DIRECTION	INFORMATION	DIST. REGR.
TOTAL	PARTIAL			
1.92	0.15	 201	Left 2 Right 2	12.62
2.14	0.21	 202	Left long	12.40
2.36	0.22	 203	Short right 1 Left 1	12.18
2.82	0.45	 204	Short right 2 + Short right + Short left 2	11.72
3.05	0.23	 205	Short right Short left Crest	11.49
3.31	0.26	 206	Short right Crest Left 2 Short right 1	11.23
3.70	0.39	 207	Left 1 Short right Left 1 Right 1	10.84
4.12	0.41	 208	Left 1 long tightens + Short right 1 + Crest with short left 1	10.42

NEXT: 0.34

Made with Rabbit Roadbook Designer

Pag. 27



EL LIMÓN

DISTANCE		DIRECTION	INFORMATION	DIST. REGR.
TOTAL	PARTIAL			
4.46	0.34	 209	Left 2 tightens Short right 3 + Short left	10.08
4.73	0.27	 210	Right 3	9.81
4.87	0.14	 211	Left 2 double + Short right 1	9.67
5.15	0.28	 212	Short right Short left 1 Right 2	9.39
5.42	0.26	 213	Left 3	9.12
5.55	0.12	 214	Left Right 2 Crest with left	8.99
5.77	0.22	 215	Right 0 long Crest + Left 1	8.77
6.12	0.35	 216	Right long	8.42

NEXT: 0.33

Made with Rabbit Roadbook Designer

Pag. 28



EL LIMÓN

DISTANCE		DIRECTION	INFORMATION	DIST. REGR.
TOTAL	PARTIAL			
6.45	0.33	217	Short right Left 2 Crest Left 2 long	8.09
6.90	0.44	218	Right 3	7.64
7.03	0.13	219	Crest straight	7.51
7.29	0.25	220	Short right Left 1 Right 3 !	7.25
7.63	0.34	221	Left 3 !	6.91
7.75	0.12	222	Short right Short left 2 + Short right Left 3	6.79
8.128	0.373	223 Lat: 18.42367 Lon: -98.20375	Control B (Dirt road LS)	6.421
8.20	0.08	224	Crest Right	6.34
NEXT: 0.11 !!!				Pag. 29





EL LIMÓN

DISTANCE		DIRECTION	INFORMATION	DIST. REGR.
TOTAL	PARTIAL			
8.32	0.11	225 	Right + Right 2	6.22
8.46	0.14	226 	Short left Right with crest Left	6.08
8.66	0.20	227 	Control C Mandatory stop (Mark on road)	5.88
8.86	0.19	228 	Km 15	5.68
9.35	0.49	229 	Bad road	5.19
9.89	0.54	230 	Dirt patch	4.65
10.85	0.95	231 	Km 13	3.69
12.78	1.93	232 	Bridge Km 11	1.76



NEXT: 0.41





Made with Rabbit Roadbook Designer

Pag. 30



EL LIMÓN

DISTANCE		DIRECTION	INFORMATION	DIST. REGR.
TOTAL	PARTIAL			
13.19	0.41	233 	Bumps (5) Dip	1.35
13.66	0.46	234 	Bumps (2)	0.88
13.83	0.17	235 	Km 10 Bumps (2) (Tehuizingo)	0.71
14.30	0.47	236 	Bump	0.24
14.37	0.06	237  Lat: 18.38710 Lon: -98.20257	Control CH (Bump)	0.17
14.549 0.000	0.175 0.000	238  Lat: 18.38728 Lon: -98.20277	Control A (Helmets) (Mark on road)	0.000 12.466
 Made with Rabbit Roadbook Designer				Pag. 31

SECC	5	TEHUITZINGO	DIST.		5		
	CHP	6	SERVICIO TEHUITZINGO	12.466 km.			
TRAMO CRONOMETRADO / SPECIAL STAGE					PROM. / AVERAGE	TIEMPO TIME	0:15'
TC		TEHUITZINGO		8.915 km.	50 k/h		
DISTANCE		DIRECTION			INFORMATION	DIST. REGR.	
TOTAL	PARTIAL						
0.000	0.000	238  Lat: 18.38728 Lon: -98.20277			Control A (Helmets)	12.466	
0.03	0.03	239 			(Mark on road) Right 2 Left 1 Right 2 Left	12.43	
0.41	0.37	240 			Left 2 Right 1	12.05	
0.64	0.22	241 			Short left Right 3	11.82	
0.87	0.23	242 			Short left Left 2 Left + Right 1	11.59	
1.21	0.34	243 			Short left Km 8	11.25	
1.42	0.20	244 			Left Bad road Right 1 long	11.04	
1.78	0.36	245 			Right 1 tightens 2	10.68	
NEXT: 0.25							Pag. 32

NEXT: 0.25









Made with Rabbit Roadbook Designer

Pag. 32



TEHUITZINGO

DISTANCE		DIRECTION	INFORMATION	DIST. REGR.
TOTAL	PARTIAL			
2.04	0.25	 246	Left 2 long	10.42
2.27	0.23	 247	Km 7 Short right 1 Left 2	10.19
2.61	0.34	 248	Short right Left 2 Right 1	9.84
2.95	0.33	 249	Right 2 Left 2 Km 6	9.51
3.54	0.59	 250	Crest Right 2 Crest Left 2	8.92
3.88	0.34	 251	Right 2 Left 1	8.57
4.14	0.25	 252	Crest with short left Right 2 Left 2 double	8.32
4.52	0.38	 253	Right 3	7.94

NEXT: 0.14 !!!

 Made with Rabbit Roadbook Designer

Pag. 33



TEHUITZINGO

DISTANCE		DIRECTION	INFORMATION	DIST. REGR.
TOTAL	PARTIAL			
4.66	0.14	 254	Left 1 Left 2 Left 1	7.79
5.14	0.48	 255	Right 2 Km 4 Left 3 Right 2	7.31
5.60	0.46	 256	Crest + Bump Right 1	6.85
5.89	0.28	 257	Left 2 tightens Right 0	6.56
6.34	0.44	 258	Right 0 Crest	6.11
6.59	0.24	 259	Left 1 Right 1	5.87
6.80	0.21	 260	Right 2 tightens 3 Left 3	5.65
7.25	0.44	 261	Right 2	5.21

NEXT: 0.18 !!!



Made with Rabbit Roadbook Designer

Pag. 34



TEHUITZINGO

DISTANCE		DIRECTION	INFORMATION	DIST. REGR.
TOTAL	PARTIAL			
7.43	0.18	 262	Left 1 ! Bad road Right 2	5.03
7.74	0.31	 263	Right Left long tightens 1 Short right Short left	4.71
8.39	0.65	 264	Short left Short right	4.06
8.54	0.15	 265	Short left Right 2 Left 2	3.91
8.915	0.366	 266	Control B (Pole CFE RS)	3.551
9.21	0.30	 267	Control C Mandatory stop (Tree RS)	3.24
9.23	0.01	 268	Junction take right	3.23
10.77	1.54	 269	Bump Bad road	1.69





NEXT: 0.42



Made with Rabbit Roadbook Designer


Pag. 35







TEHUITZINGO

DISTANCE		DIRECTION	INFORMATION	DIST. REGR.
TOTAL	PARTIAL			
11.20	0.42	 270	Start descent Concrete road	1.26
11.86	0.66	 271	Continue on left road Bumps (2)	0.60
11.91	0.05	 272	Junction take right	0.55
11.94	0.03	 273	Bump Take left (C. 2 de Abril) Bump	0.52
12.04	0.10	 274	Bumps (6)	0.42
12.34	0.30	 275	Caution Junction take left Highway starts	0.12
12.466 0.000	0.121 0.000	 276 Lat: 18.32894 Lon: -98.26889	Control CHP Early check in will not penalize Service entrance	0.000 0.500
 Made with Rabbit Roadbook Designer				Pag. 36

CHP		6	SERVICIO TEHUITZINGO		DIST.		6	
CH		7	SERVICIO TEHUITZINGO		0.000 km.			
TRAMO CRONOMETRADO / SPECIAL STAGE					PROM. / AVERAGE		TIEMPO TIME	1:00'
					0 k/h			
DISTANCE		DIRECTION			INFORMATION		DIST. REGR.	
TOTAL	PARTIAL							
12.466 0.000	0.121 0.000	  Lat: 18.32894 Lon: -98.26889 276			Control CHP Early check in will not penalize Service entrance		0.000 0.500	
0.25	0.25	 277			Service 		0.25	
0.500 0.000	0.250 0.000	  Lat: 18.32886 Lon: -98.26873 278			Control CH (Gas station exit RS)		0.000 3.415	
Made with Rabbit Roadbook Designer							Pag. 37	



CH		7	SERVICIO TEHUITZINGO	DIST.		7
CH		8	ZARAGOZA	3.415 km.		
TRAMO CRONOMETRADO / SPECIAL STAGE				PROM. / AVERAGE		TIEMPO TIME
				41 k/h		0:05'
DISTANCE		DIRECTION		INFORMATION	DIST. REGR.	
TOTAL	PARTIAL					
0.500 0.000	0.250 0.000	278  Lat: 18.32886 Lon: -98.26873		Control CH (Gas station exit RS)	0.000 3.415	
0.21	0.21	279 		Attention Take right on concrete road (C. 2 de abril) Bump	3.19	
0.30	0.08	280 		Bumps (7)	3.11	
0.61	0.31	281 		Junction take right Bump	2.79	
0.65	0.03	282 		Attention Turn left (C. 2 de abril)	2.76	
0.70	0.05	283 		Bump Junction take right	2.71	
0.78	0.07	284 		Bump	2.63	
1.37	0.59	285 		Pavement starts	2.04	

NEXT: 0.35

Made with Rabbit Roadbook Designer

Pag. 38

NEXT: 0.35




 Made with Rabbit Roadbook Designer







Pag. 38



SERVICE EXIT

Stage	Sector	Distance	Time	Average
3	7	3.415	00h05'	41.0

DISTANCE		DIRECTION	INFORMATION	DIST. REGR.
TOTAL	PARTIAL			
1.73	0.35	 286	Bad road Bump	1.68
2.98	1.25	 287	Bad road	0.43
3.35	0.37	 288	Junction take left Control CH (Mark on road)	0.05
3.415 0.000	0.059 0.000	 289	Control A (Helmets) (Curve start)	0.000 15.580
 Made with Rabbit Roadbook Designer				Pag. 39

SECC	8	ZARAGOZA		DIST.	8
CH	9	CUAYUCA		15.580 km.	
TRAMO CRONOMETRADO / SPECIAL STAGE				PROM. / AVARAGE	TIEMPO TIME 0:18'
TC		ZARAGOZA		9.147 km. 52 k/h	
DISTANCE		DIRECTION		INFORMATION	DIST. REGR.
TOTAL	PARTIAL				
0.000	0.000	289  Lat: 18.34187 Lon: -98.24493		Control A (Helmets) (Curve start)	15.580
0.23	0.23	290 		Crest Right 2 Left 2 tightens	15.34
0.53	0.30	291 		Short right Short left Short right	15.04
0.95	0.41	292 		Short right Left 0 Right 1 long	14.62
1.31	0.36	293 		Left 0 Left 2	14.26
1.62	0.30	294 		Right 2 Bad road	13.96
1.77	0.15	295 		Left 2 Km 2	13.80
2.08	0.30	296 		Right 3 Left 2	13.49

NEXT: 0.30

Made with Rabbit Roadbook Designer

Pag. 40

NEXT: 0.30



Made with Rabbit Roadbook Designer

Pag. 40



ZARAGOZA

DISTANCE		DIRECTION	INFORMATION	DIST. REGR.
TOTAL	PARTIAL			
2.39	0.30		Left 1 Right 1 Crest	13.19
2.70	0.31		Left	12.88
3.02	0.32		Short left 2 Right 2 Left 1 Crest	12.55
3.60	0.58		Bump !! Left 2 tightens to 3 + Right 3	11.97
3.87	0.27		Left 1 Km 4 Short left	11.70
4.13	0.26		Right 1 + Right 2 Right 1 Left 3	11.44
4.63	0.50		Right 2 double Left 1 Km 5	10.94
4.92	0.28		Crest Right	10.65

NEXT: 0.11 !!!

Made with Rabbit Roadbook Designer

Pag. 41



ZARAGOZA

DISTANCE		DIRECTION	INFORMATION	DIST. REGR.
TOTAL	PARTIAL			
5.03	0.11	 305	Right 1 Left 2	10.54
5.27	0.23	 306	Right 1 Crest Left 1	10.30
5.70	0.42	 307	Crest Right 2 Left 2	9.88
6.15	0.45	 308	Short left + Left 2 Right 1 Short left	9.42
6.64	0.49	 309	Right 2 Short left 1	8.93
6.95	0.30	 310	Right 2 long Left 2 long	8.62
7.40	0.45	 311	Left very long Bad road Short right	8.17
7.85	0.45	 312	Right 0 Left 1 Short right over crest Right 2 + Right 1	7.72

NEXT: 0.44

Made with Rabbit Roadbook Designer

Pag. 42



ZARAGOZA

DISTANCE		DIRECTION	INFORMATION	DIST. REGR.
TOTAL	PARTIAL			
8.30	0.44	 313	Left 3 Short right 0 Short left Right 3	7.28
8.75	0.45	 314	Short right Left 2 Right 1 Left 2	6.82
9.147	0.390	 315 Lat: 18.38715 Lon: -98.20269	Control B (Curve sign)	6.433
9.16	0.01	 316	Left	6.41
9.35	0.18	 317 Lat: 18.38866 Lon: -98.20176	Control C Mandatory stop (Bump)	6.22
9.39	0.03	 318	Bump	6.18
9.79	0.40	 319	Bumps (10)	5.78
10.44	0.65	 320	Dip Bump	5.13

NEXT: 0.46

Made with Rabbit Roadbook Designer

Pag. 43



ZARAGOZA






DISTANCE		DIRECTION	INFORMATION	DIST. REGR.
TOTAL	PARTIAL			
10.90	0.46	 321	Dip	4.67
11.85	0.94	 322	Km 12	3.72
13.65	1.80	 323	Concrete road Km 14	1.92
14.32	0.66	 324	Bad road	1.25
15.43	1.10	 325	Control CH (Dirt Patch RS)	0.14
15.580	0.146	 326	Control A (Helmets) (Dirt entrance RS)	0.000
0.000	0.000	Lat: 18.42269 Lon: -98.20281 Lat: 18.42368 Lon: -98.20372		19.479



Made with Rabbit Roadbook Designer

Pag. 44

SECC	9	CUAYUCA	DIST.	9
	CH	10	ZACAPALA	
TRAMO CRONOMETRADO / SPECIAL STAGE			PROM. / AVARAGE	TIEMPO TIME 0:20'
TC	CUAYUCA		7.577 km. 58 k/h	

DISTANCE		DIRECTION	INFORMATION	DIST. REGR.
TOTAL	PARTIAL			
0.000	0.000	 Lat: 18.42368 Lon: -98.20372	Control A (Helmets) (Dirt entrance RS)	19.479
0.08	0.08		Right 1 Short left Short right Km 16 Short left	19.39
0.40	0.32		Right 2 Left 2 long Right 1 Short left	19.07
0.75	0.35		Crest	18.72
1.13	0.37		Left 3 Right 1 long Crest Right	18.34
1.75	0.62		Crest Left 0 long	17.72
2.11	0.35		Right 1	17.36
2.21	0.10		Short left Right 0 over crest + Left 2 +	17.26

NEXT: 0.32



Made with Rabbit Roadbook Designer

Pag. 45



CUAYUCA

DISTANCE		DIRECTION	INFORMATION	DIST. REGR.
TOTAL	PARTIAL			
2.53	0.32	334	Short right Short right 2	16.94
2.74	0.21	335	Left 1 Short right Short left 2 + Right 2 Right 2 long	16.73
3.24	0.49	336	Left 3 tightens	16.23
3.45	0.21	337	Short right 2 + Left 3 Right 3	16.02
3.69	0.23	338	Short right 1 Short left 1 Right 1 long	15.78
4.08	0.39	339	Left 1 Right 1 + Short left 1	15.39
4.34	0.25	340	Right + Km 4 + Short left + Right 1	15.13
4.68	0.33	341	Crest Short left Crest + Short right 0	14.79

NEXT: 0.31

Made with Rabbit Roadbook Designer

Pag. 46



CUAYUCA

DISTANCE		DIRECTION	INFORMATION	DIST. REGR.
TOTAL	PARTIAL			
4.99	0.31	 342	Short left 1 Short right 3 Short left Short left 1	14.48
5.53	0.54	 343	Short left with crest + Short right 0 Short left	13.94
5.85	0.31	 344	Right long +	13.62
6.01	0.16	 345	Left 3 Right 3 Left 2 Short right	13.46
6.47	0.45	 346	Bad road Left 0	13.00
6.62	0.15	 347	Right 2 Bad road + Left 1 Short right 1	12.85
6.99	0.37	 348	Short left Left Short left	12.48
7.28	0.28	 349	Short left + Short right + Crest	12.19

NEXT: 0.294



Made with Rabbit Roadbook Designer

Pag. 47



CUAYUCA

DISTANCE		DIRECTION	INFORMATION	DIST. REGR.
TOTAL	PARTIAL			
7.577	0.294		Right 2 long Control B + Left 2	11.902
7.79	0.21		Crest + Right 1	11.68
7.97	0.17		Left 2 long	11.50
8.16	0.19		Right 1 Right	11.31
8.27	0.11		Control C Mandatory stop Bump	11.20
8.34	0.06		Bumps (2)	11.13
8.56	0.22		Bump Junction take left (C. Venustiano Carranza)	10.91
8.62	0.05		Bumps (4)	10.85

NEXT: 0.27










Made with Rabbit Roadbook Designer

Pag. 48



CUAYUCA

DISTANCE		DIRECTION	INFORMATION	DIST. REGR.
TOTAL	PARTIAL			
8.89	0.27	358 	Bridge	10.58
9.04	0.15	359 	Bumps (2)	10.43
9.11	0.07	360 	Take right (C. La Soledad) Bump (Before the Church)	10.36
9.19	0.07	361 	Bump Junction take right	10.28
9.30	0.11	362 	Take left Street with median strip (C. El Calvario)	10.17
9.48	0.17	363 	Bump straight Start the road	9.99
9.68	0.20	364 	To the right over Paved road Bump	9.79
9.74	0.05	365 		9.73


NEXT: 0.93

 Made with Rabbit Roadbook Designer

Pag. 49



CUAYUCA

DISTANCE		DIRECTION	INFORMATION	DIST. REGR.
TOTAL	PARTIAL			
10.67	0.93	366 	Keep straight	8.80
12.76	2.08	367 	Dip	6.71
13.72	0.96	368 	Dip	5.75
14.60	0.88	369 	Bridge	4.87
15.02	0.42	370 	Bumps (4)	4.45
15.30	0.27	371 	Church Bumps (5)	4.17
15.91	0.61	372 	Dip	3.56
16.00	0.09	373 	Dip	3.47

NEXT: 0.46




 Made with Rabbit Roadbook Designer

Pag. 50



CUAYUCA

DISTANCE		DIRECTION	INFORMATION	DIST. REGR.
TOTAL	PARTIAL			
16.46	0.46	 374	Dip	3.01
18.84	2.37	 375	Bumps (2)	0.63
19.32	0.48	 376  Lat: 18.53066 Lon: -98.12197	Control CH (Near spikes)	0.15
19.479 0.000	0.156 0.000	 377  Lat: 18.53188 Lon: -98.12115	Control A (Helmets) (Dirt road RS)	0.000 36.470
 Made with Rabbit Roadbook Designer				Pag. 51

SECC	10	ZACAPALA		DIST.	10
	CH	11	EPATLÁN		
TRAMO CRONOMETRADO / SPECIAL STAGE				PROM. / AVERAGE	TIEMPO TIME 0:40'
TC		ZACAPALA		7.079 km.	
DISTANCE		DIRECTION	INFORMATION	DIST. REGR.	
TOTAL	PARTIAL				
0.000	0.000	377  Lat: 18.53188 Lon: -98.12115 Control A (Helmets) (Dirt road RS) <td>36.470</td>	36.470		
0.05	0.05	378  Crest straight <td>36.41</td>	36.41		
0.20	0.14	379  Left Crest Right <td>36.26</td>	36.26		
0.52	0.32	380  Short left Crest straight <td>35.94</td>	35.94		
0.91	0.39	381  Short right over crest Short right <td>35.55</td>	35.55		
1.35	0.44	382  Short right Crest straight <td>35.11</td>	35.11		
1.68	0.33	383  Left 0 <td>34.78</td>	34.78		
1.87	0.18	384  Left 0 Short right + Right 2 <td>34.59</td>	34.59		

NEXT: 0.41

Made with Rabbit Roadbook Designer

Pag. 52

NEXT: 0.41







Made with Rabbit Roadbook Designer

Pag. 52



ZACAPALA

DISTANCE		DIRECTION	INFORMATION	DIST. REGR.
TOTAL	PARTIAL			
2.29	0.41	 385	Left 3 long	34.17
2.48	0.18	 386	Right 2 + Landslide RS	33.98
2.75	0.27	 387	Right 2 Left 1 Short right 1 Right	33.71
3.12	0.36	 388	Left 1 Crest Right	33.34
3.42	0.30	 389	Left 1	33.04
3.64	0.21	 390	Right 1 Crest Left 1	32.82
4.04	0.39	 391	Left 1 Crest	32.43
4.46	0.42	 392	Left 3 Right 2 tightens 3	32.00

NEXT: 0.56



Made with Rabbit Roadbook Designer

Pag. 53



ZACAPALA

DISTANCE		DIRECTION	INFORMATION	DIST. REGR.
TOTAL	PARTIAL			
5.03	0.56	393	Right 1 Left	31.43
5.28	0.24	394	Right 2 + Bad road RS Right 2 Left 3	31.18
5.59	0.31	395	Right 2 Left 2 Right 3	30.87
5.95	0.36	396	Left 1 Bad road	30.51
6.13	0.18	397	Right 1 Bad road	30.33
6.30	0.16	398	Crest Left 1 long	30.16
6.64	0.33	399	Short left Left 2 Right 3	29.83
6.96	0.32	400	Right long	29.50





NEXT: 0.118 !!!

Made with Rabbit Roadbook Designer

Pag. 54



ZACAPALA

DISTANCE		DIRECTION	INFORMATION	DIST. REGR.
TOTAL	PARTIAL			
7.079	0.118	 Lat: 18.56753 Lon: -98.08502	Control B (Dirt entrance)	29.391
7.15	0.07	 402	Left 2	29.31
7.50	0.35	 Lat: 18.56806 Lon: -98.08326	Control C Mandatory stop (Mark on road)	28.96
8.08	0.58	 404	Bad road Next 1.100mts	28.38
9.83	1.74	 405	Bridge	26.63
10.98	1.15	 406		25.48
14.56	3.58	 407	High bumps (3)	21.90
17.28	2.71	 408	High bumps (3)	19.18

NEXT: 4.07



Made with Rabbit Roadbook Designer

Pag. 55



ZACAPALA

DISTANCE		DIRECTION	INFORMATION	DIST. REGR.
TOTAL	PARTIAL			
21.35	4.07	 409	Bridge	15.11
21.68	0.32	 410	Bumps (2)	14.79
22.97	1.29	 411	Bumps (2) Chapel RS	13.49
23.29	0.32	 412	Bumps (2)	13.17
24.08	0.78	 413		12.38
24.41	0.33	 414	Bridge	12.05
24.73	0.31	 415	Bump straight (Tenago)	11.73
25.03	0.30	 416	Bumps (3)	11.43


NEXT: 0.40



Made with Rabbit Roadbook Designer

Pag. 56



ZACAPALA

DISTANCE		DIRECTION	INFORMATION	DIST. REGR.
TOTAL	PARTIAL			
25.44	0.40	 417		11.02
26.46	1.01	 418		10.01
28.35	1.89	 419	Km 40	8.11
33.33	4.97	 420	Km 35	3.13
34.88	1.54	 421	Keep straight	1.59
35.31	0.43	 422	Km 33	1.15
36.35	1.04	 423	Control CH Km 32	0.11
36.470 0.000	0.114 0.000	 424	Control A (Helmets) (Mark on road)	0.000 99.152

SECC	11	EPATLÁN		DIST.	11
	CHP	12	RECEPCIÓN SAN ANDRÉS CHOLULA	99.152 km.	
TRAMO CRONOMETRADO / SPECIAL STAGE				PROM. / AVERAGE	TIEMPO TIME
TC		EPATLÁN		10.713 km.	
DISTANCE		DIRECTION		INFORMATION	DIST. REGR.
TOTAL	PARTIAL				
0.000	0.000	424   Lat: 18.59784 Lon: -98.26159		Control A (Helmets) (Mark on road)	99.152
0.14	0.14	425 		Left	99.00
0.42	0.28	426 		Right	98.72
0.65	0.22	427 		Left	98.49
0.78	0.13	428 		Right Crest	98.36
1.07	0.29	429 		Right 1	98.07
1.78	0.71	430 		Left 1 Km 30	97.36
2.27	0.48	431 		Right 0	96.87

NEXT: 0.23

Made with Rabbit Roadbook Designer

Pag. 58

NEXT: 0.23





Made with Rabbit Roadbook Designer

Pag. 58



EPATLÁN

DISTANCE		DIRECTION	INFORMATION	DIST. REGR.
TOTAL	PARTIAL			
2.50	0.23	 432	Crest straight	96.64
2.76	0.25	 433	Left Crest	96.39
3.20	0.44	 434	Right 1	95.94
3.57	0.37	 435	Left with crest	95.57
3.95	0.38	 436	Crest straight	95.19
4.15	0.19	 437	Left 2 Right 2	94.99
4.46	0.31	 438	Left 2 long Right 2 long Short left 1	94.68
4.98	0.52	 439	Short right Right 1 Crest	94.16

NEXT: 0.38

 Made with Rabbit Roadbook Designer

Pag. 59



EPATLÁN

DISTANCE		DIRECTION	INFORMATION	DIST. REGR.
TOTAL	PARTIAL			
5.37	0.38	 440	Short right Left with bad road	93.77
5.66	0.29	 441	Left 1	93.48
5.85	0.18	 442	Km 26 Left 1 Right 1	93.30
6.07	0.22	 443	Left	93.08
6.25	0.18	 444	Right 2 Left 2 Right	92.90
6.76	0.51	 445	Crest Km 25 Short right	92.38
7.04	0.28	 446	Left 1 Crest	92.10
7.40	0.35	 447	Crest Short right Left 2 long	91.75

NEXT: 0.43

Made with Rabbit Roadbook Designer

Pag. 60



EPATLÁN

DISTANCE		DIRECTION	INFORMATION	DIST. REGR.
TOTAL	PARTIAL			
7.83	0.43	 448	Right 2 Km 24 Right 2 long	91.31
8.30	0.46	 449	Left 1 Left 2	90.84
8.65	0.35	 450	Right 2 Right 2 Km 23 Left 2	90.49
9.06	0.40	 451	Right 2 Hoyo Left 2	90.09
9.41	0.35	 452	Right 1	89.73
9.64	0.22	 453	Left 1	89.50
9.86	0.22	 454	Km 22 Short right Left 1	89.28
10.20	0.33	 455	Right 2 long	88.95

NEXT: 0.24



Made with Rabbit Roadbook Designer

Pag. 61



EPATLÁN

DISTANCE		DIRECTION	INFORMATION	DIST. REGR.
TOTAL	PARTIAL			
10.45	0.24	 456	Left 3	88.70
10.713	0.263	 457 Lat: 18.61530 Lon: -98.33379	Control B (Wooden post)	88.439
10.84	0.12	 458	Km 21 Bad road	88.31
10.95	0.11	 459	Left	88.19
11.13	0.18	 460 Lat: 18.61842 Lon: -98.33571	Control C Mandatory stop (Entrance with Yellow post)	88.01
11.62	0.48	 461	Bad road	87.53
13.38	1.76	 462	Bad road	85.77
15.83	2.45	 463	Bumps (2)	83.31








NEXT: 1.37

Made with Rabbit Roadbook Designer

Pag. 62



EPATLÁN

DISTANCE		DIRECTION	INFORMATION	DIST. REGR.
TOTAL	PARTIAL			
17.21	1.37	 464	Bumps (4)	81.93
17.89	0.67	 465	 Bump	81.26
17.99	0.10	 466	 Bump	81.16
18.07	0.08	 467	Bump Turn left	81.07
18.14	0.06	 468	Keep straight Bumps (5)	81.01
18.44	0.30	 469	Bumps (2) (Bank "Bienestar" RS)	80.70
18.61	0.16	 470	Bridge	80.53
18.86	0.25	 471	Bumps (2)	80.28





NEXT: 0.23

 Made with Rabbit Roadbook Designer

Pag. 63



EPATLÁN

DISTANCE		DIRECTION	INFORMATION	DIST. REGR.
TOTAL	PARTIAL			
19.09	0.23		Keep straight	80.05
21.50	2.40			77.64
22.01	0.50		Bumps (3)	77.14
23.27	1.25		Bumps (3)	75.88
23.64	0.37		Gas station Bumps (10)	75.50
29.81	6.16		Bumps (4)	69.33
30.11	0.30		Junction Turn right (Residencial el Maglar) Buoy	69.03
30.24	0.13		Buoys (2) Take left (Bypass "Universidad")	68.90







NEXT: 1.29

 Made with Rabbit Roadbook Designer

Pag. 64



EPATLÁN

DISTANCE		DIRECTION	INFORMATION	DIST. REGR.
TOTAL	PARTIAL			
31.54	1.29	 480	Buoy	67.60
31.75	0.20	 481	Bridge	67.40
31.94	0.18	 482	Bump Junction take right	67.21
32.09	0.15	 483	Km 64	67.05
32.88	0.78	 484	Tope Church	66.27
33.11	0.23	 485	Lane reduction Km 63 Bump	66.04
34.13	1.02	 486	Bumps (2) Km 62	65.01
34.50	0.36	 487	Security inspection GN	64.65

NEXT: 2.12

 Made with Rabbit Roadbook Designer

Pag. 65



EPATLÁN

DISTANCE		DIRECTION	INFORMATION	DIST. REGR.
TOTAL	PARTIAL			
36.62	2.12	 488	Bump	62.52
37.26	0.64	 489	Bumps (2) Km 59	61.88
38.20	0.93	 490	Bumps (6)	60.95
40.32	2.12	 491	Bumps (2) Km 56	58.82
41.13	0.80	 492	Median strip	58.02
44.86	3.73	 493	Highway merge	54.28
45.50	0.63	 494	Bumps (3)	53.65
46.17	0.67	 495	Km 50	52.98

NEXT: 2.74







Made with Rabbit Roadbook Designer

Pag. 66



EPATLÁN

DISTANCE		DIRECTION	INFORMATION	DIST. REGR.
TOTAL	PARTIAL			
48.91	2.74	 496	Bumps (4)	50.23
50.23	1.32	 497	Km 46	48.91
53.16	2.93	 498	  Bumps (4) Keep straight	45.98
56.24	3.07	 499	Km 40	42.91
56.62	0.37	 500	Bumps (2)	42.53
58.76	2.14	 501	Bumps (2)	40.39
60.72	1.96	 502	Bumps (3) Gas station	38.42
61.39	0.66	 503	Km 35	37.76








NEXT: 0.21

 Made with Rabbit Roadbook Designer

Pag. 67



EPATLÁN

DISTANCE		DIRECTION	INFORMATION	DIST. REGR.
TOTAL	PARTIAL			
61.60	0.21	 504	Bump	37.54
62.07	0.46	 505	 Bump	37.08
62.82	0.75	 506	 Bump	36.32
63.81	0.98	 507	Bump	35.34
64.36	0.55	 508	Bump straight	34.79
65.36	1.00	 509	Traffic light straight Gas station	33.78
66.51	1.15	 510	Gas station	32.63
66.93	0.41	 511	Traffic light straight	32.22







NEXT: 0.41

 Made with Rabbit Roadbook Designer

Pag. 68



EPATLÁN

DISTANCE		DIRECTION	INFORMATION	DIST. REGR.
TOTAL	PARTIAL			
67.34	0.41	 512	Bumps (2)	31.80
68.29	0.95	 513	Km 28 Bump	30.85
68.94	0.65	 514	 Take right	30.20
69.58	0.63	 515	Km 24	29.56
71.17	1.59	 516		27.97
74.56	3.39	 517	Km 19	24.58
85.50	10.94	 518	Km 8	13.64
87.24	1.73	 519	Tollbooth \$57.00 Only Cash	11.90







NEXT: 0.75

 Made with Rabbit Roadbook Designer

Pag. 69



EPATLÁN

DISTANCE		DIRECTION	INFORMATION	DIST. REGR.
TOTAL	PARTIAL			
88.00	0.75	!! 	Attention Exit to right lane Gas station	11.14
88.62	0.62	520 	 Exit right ! After the upper road	10.52
88.96	0.33	521 	Keep straight	10.19
90.23	1.26	522 	Km 15	8.92
91.20	0.97	523 	Km 14 Keep straight	7.94
91.62	0.41	524 	Keep straight	7.53
92.30	0.68	525 	Km 13	6.85
92.89	0.59	526 	Gas station	6.25
92.89	0.59	527		

NEXT: 0.87

 Made with Rabbit Roadbook Designer

Pag. 70



EPATLÁN

DISTANCE		DIRECTION	INFORMATION	DIST. REGR.
TOTAL	PARTIAL			
93.77	0.87		Gas station	5.38
94.41	0.63		Attention To the right Under the bridge	4.74
94.86	0.45		Keep straight	4.28
95.39	0.52		Exit left to "Cholula"	3.76
95.59	0.20		Exit on the next reference	3.56
95.68	0.09		Exit right "Recta Cholula"	3.46
95.93	0.25		Merge to central lanes	3.21
97.15	1.21		Keep straight over bridge	1.99







NEXT: 0.61

Made with Rabbit Roadbook Designer

Pag. 71




EPATLÁN



DISTANCE		DIRECTION	INFORMATION	DIST. REGR.
TOTAL	PARTIAL			
97.76	0.61		Gas station Railroad crossing	1.38
97.87	0.11		Bump Keep straight	1.27
98.05	0.18		Traffic light straight (2)	1.09
98.39	0.33		Traffic light Turn left (C. 4 Nte)	0.75
98.50	0.10		Keep straight (3) Cobblestone road	0.64
98.90	0.39		Keep straight	0.25
98.99	0.09		Traffic light straight (Morelos Centro)	0.15
99.09	0.10		Junction take left	0.05






EPATLÁN

DISTANCE		DIRECTION	INFORMATION	DIST. REGR.
TOTAL	PARTIAL			
99.152	0.055	544  Lat: 19.05980 Lon: -98.30449 <td>Control CHP Early check in will not penalize</td> <td>0.000</td>	Control CHP Early check in will not penalize	0.000
0.000	0.000		Entrance to Square "Cholula Puebla"	0.500
Made with Rabbit Roadbook Designer				Pag. 73

CHP	12	RECEPCIÓN SAN ANDRÉS CHOLULA	DIST.		12
	CH	13	RECEPCIÓN SAN ANDRÉS CHOLULA	0.000 km.	
TRAMO CRONOMETRADO / SPECIAL STAGE				PROM. / AVERAGE	TIEMPO TIME 0:20'
				0 k/h	
DISTANCE		DIRECTION	INFORMATION	DIST. REGR.	
TOTAL	PARTIAL				
99.152 0.000	0.055 0.000	544  Lat: 19.05980 Lon: -98.30449	Control CHP Early check in will not penalize Entrance to Square "Cholula Puebla"	0.000 0.500	
0.25	0.25	545 	Follow instructions 	0.25	
0.500 0.000	0.250 0.000	546  Lat: 19.05888 Lon: -98.30497	Control CH Junction turn left	0.000 129.737	
 Made with Rabbit Roadbook Designer					Pag. 74

CH	13	RECEPCIÓN SAN ANDRÉS CHOLULA	DIST.	13
	CHP	META ALAMEDA CENTRAL CDMX	129.737 km.	
TRAMO CRONOMETRADO / SPECIAL STAGE			PROM. / AVERAGE	TIEMPO TIME
			111 k/h	1:10'

DISTANCE		DIRECTION	INFORMATION	DIST. REGR.
TOTAL	PARTIAL			
0.500	0.250	 546	Control CH Junction turn left	0.000 129.737
0.08	0.08		Turn left (C. 4 Sur)	129.64
0.18	0.10		Junction take right (Av. 7 Ote)	129.54
0.35	0.16		Junction take right (C. 2 Sur)	129.38
0.45	0.10		Keep straight (2)	129.28
0.65	0.20	 551	Traffic light straight	129.08
0.71	0.05		Bumps (2) Church RS	129.02
0.85	0.13		Keep straight	128.88
		553		

NEXT: 0.08 !!!



Made with Rabbit Roadbook Designer

Pag. 75



EXIT RECEPTION CHOLULA

DISTANCE		DIRECTION	INFORMATION	DIST. REGR.
TOTAL	PARTIAL			
0.94	0.08	554	Junction take right	128.79
0.99	0.04	555	 Attention Turn left (C. 2 Nte)	128.74
1.08	0.09	556	Keep straight	128.65
1.19	0.11	557	Bump Keep straight	128.54
1.28	0.09	558	Junction take right Attention Take left lane	128.45
1.35	0.07	559	 Take left to 'Blvd Forjadores De Puebla'	128.37
1.51	0.15	560	Traffic light straight (2)	128.22
1.83	0.32	561	Bump	127.90

NEXT: 0.21



Made with Rabbit Roadbook Designer

Pag. 76



EXIT RECEPTION CHOLULA

DISTANCE		DIRECTION	INFORMATION	DIST. REGR.
TOTAL	PARTIAL			
2.04	0.21		Gas station Traffic light straight (3)	127.69
3.31	1.26		 Exit right	126.42
3.61	0.30		Attention Take left lane	126.12
3.83	0.21		 Take left	125.90
4.12	0.29			125.61
4.76	0.63		 Take right	124.97
5.08	0.32		Merge to central lanes	124.65
5.92	0.84		Km 6 LI	123.80

NEXT: 0.80



Made with Rabbit Roadbook Designer

Pag. 77



EXIT RECEPTION CHOLULA

DISTANCE		DIRECTION	INFORMATION	DIST. REGR.
TOTAL	PARTIAL			
6.73	0.80		Gas station	123.00
8.07	1.33			121.66
8.94	0.86		Km 3 LI	120.79
10.46	1.52		Gas station	119.27
10.72	0.25			119.01
10.96	0.24		Km 1 Take next exit	118.77
11.33	0.37			118.40
11.79	0.46		Merge to central lanes	117.93

NEXT: 0.40

Made with Rabbit Roadbook Designer

Pag. 78



EXIT RECEPTION CHOLULA

DISTANCE		DIRECTION	INFORMATION	DIST. REGR.
TOTAL	PARTIAL			
12.20	0.40			117.53
12.59	0.38		Merge to central lanes	117.14
14.62	2.03		Km 111 Gas station	115.11
15.61	0.99		Km 110 Gas station	114.12
28.74	13.13		Tollbooth \$51.00	100.99
45.66	16.92		Km 80 Gas station	84.07
87.75	42.09		Km 38 Gas station	41.98
92.25	4.50		 Tollbooth \$ 156.00	37.48

NEXT: 0.17 !!!

Made with Rabbit Roadbook Designer

Pag. 79



EXIT RECEPTION CHOLULA

DISTANCE		DIRECTION	INFORMATION	DIST. REGR.
TOTAL	PARTIAL			
92.42	0.17		Keep straight to "CD México " Take left lane (Circuito Mexiquense)	37.31
106.54	14.12		Km 20	23.19
108.09	1.55		Start of bridge Take right lane	21.64
108.69	0.60		Attention To the right Over bridge to "México Centro" (Av. Ignacio Zaragoza)	21.04
109.58	0.89		After the bridge Keep right lane Stop - Regroup Follow instructions	20.15
109.83	0.25		Caution Dips next 3.5 kms	19.90
118.40	8.56			11.33
118.60	0.20			11.13

NEXT: 0.67






Made with Rabbit Roadbook Designer

Pag. 80



EXIT RECEPTION CHOLULA

DISTANCE		DIRECTION	INFORMATION	DIST. REGR.
TOTAL	PARTIAL			
119.27	0.67		Traffic light straight	10.46
119.50	0.23		Gas station	10.23
119.78	0.28		Traffic light straight (Av. 12)	9.95
120.25	0.47		Traffic light straight (Calle 47)	9.48
120.52	0.27		Traffic light straight (2)	9.21
120.84	0.32		Keep straight to "Viaducto"	8.89
120.92	0.08			8.81
121.21	0.29			8.52

NEXT: 1.29

 Made with Rabbit Roadbook Designer

Pag. 81



EXIT RECEPTION CHOLULA

DISTANCE		DIRECTION	INFORMATION	DIST. REGR.
TOTAL	PARTIAL			
122.50	1.29	602	Continue on central lanes (Francisco del Paso)	7.23
123.13	0.63	603	Continue on central lanes (Congreso de la Unión)	6.60
123.82	0.68	604	Continue on central lanes (La Viga)	5.91
124.39	0.57	605	Take right lane "Andres Molina Enriquez"	5.34
124.53	0.14	606	Exit to right lane to "Centro Histórico" "Tlalpan Centro"	5.20
124.68	0.15	607	Sign "San Antonio Abad" Continue in the side lane	5.05
124.89	0.21	608	Traffic light straight	4.84
125.20	0.31	609	Junction take right "San Antonio Abad" Merge to central lanes	4.53








NEXT: 0.55

Made with Rabbit Roadbook Designer

Pag. 82



EXIT RECEPTION CHOLULA

DISTANCE		DIRECTION	INFORMATION	DIST. REGR.
TOTAL	PARTIAL			
125.75	0.55	 610	Subway "Chabacano" Keep straight	3.98
127.02	1.27	 611	Keep straight	2.71
127.16	0.14	 612	Tunnel	2.57
127.48	0.32	 613	Take left to "Av. 20 de Noviembre" Continue on right lane	2.25
127.57	0.09	 614	Traffic light (8) Keep straight	2.16
128.33	0.76	 615	Traffic light Zócalo Take right	1.40
128.43	0.10	 616	Turn left	1.30
128.59	0.16	 617	Turn left	1.14

NEXT: 0.12 !!!

 Made with Rabbit Roadbook Designer

Pag. 83



EXIT RECEPTION CHOLULA

DISTANCE		DIRECTION	INFORMATION	DIST. REGR.
TOTAL	PARTIAL			
128.71	0.12	618 	Traffic light take right	1.02
128.81	0.10	619 	Traffic light take left "Calle 5 de Mayo" Follow instructions	0.92
129.52	0.71	620 	Turn left "Bellas Artes"	0.21
129.58	0.06	621 	Turn right (Bellas Artes)	0.15
129.73	0.15	622 	Control CHP Early check in will not penalize Finish line Bellas Artes	0.00
Made with Rabbit Roadbook Designer				Pag. 84